

[10] Patent/Publication Number: WO2003091213A1

[43] Publication Date: Nov. 06, 2003

---

[54] NOVEL AMIDE DERIVATIVES OR SALTS THEREOF

[72, 75] Inventor(s):

ONDA; Kenichi , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

SUZUKI; Takayuki , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

SHIRAKI; Ryota , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

YONETOKU; Yasuhiro , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

OGIYAMA; Takashi , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

MARUYAMA; Tatsuya , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

MOMOSE; Kazuhiro , c/o Yamanouchi Pharmaceutical Co., Ltd., 21, Miyukigaoka, Tsukuba-shi Ibaraki 305-8585 JP JP JP

[71] Assignee/Applicant:

YAMANOUCHI PHARMACEUTICAL CO.; LTD. , 3-11, Nihonbashi-Honcho 2-chome, Chuo-ku Tokyo 103-8411 JP JP JP

[30] Priority:

JP Apr. 25, 2002 2002-123926

[21] Application Number: JP0305198 JP

[22] Application Date: Apr. 23, 2003

[51] Int. Cl.<sup>7</sup>: A61K031404

A61K031407 A61K031427 A61K0314439 A61K031497 A61K031506 C07D20942

[56] References Cited:

U.S. PATENT DOCUMENTS

9639384 /PCIT WO [0]

FOREIGN PATENT DOCUMENTS

9639385 /PCIT WO [0]

1088824 /REFS EP [0]

Attorney, Agent, or Firm - NAGAI, Shozo

[57] ABSTRACT

It is intended to provide compounds of the following general formula (I) which are glycogen

phosphorylase inhibitors and useful as remedies and preventives for insulin-dependent diabetes (type 1 diabetes), insulin- independent diabetes (type 2 diabetes), insulin resistant disease and obesity. Namely, glycogen phosphorylase inhibitors characterized by having an indole ring, etc. bonded to a ring A (an aryl ring or an aromatic heterocycle) via an amide bond and the ring A having a hydroxyethylene moiety as a substituent. It is still preferable that the glycogen phosphorylase inhibitors are characterized in that the above- described ring A has a dihydroxyethylene moiety as a substituent. (I) wherein each substituent is as defined in claim 1.

**DETAILS**

NotAvailable

**CLAIMS (ENGLISH)**

NotAvailable

**CLAIMS (FRENCH)**

NotAvailable

**CLAIMS (GERMAN)**

NotAvailable

NotAvailable

\* \* \* \* \*